

DHL FREIGHT EQUIPMENT



DHL Freight Equipment



Curtainsider

Loading length (m)	13,62
Loading width (m)	2,48 between poles 2,52
Loading height (m)	2,68 - 2,71
Places for pallets	ca. 33
Capacity (ton)	*28



Thermo / temperature controlled

Loading length (m)	13,36
Loading width (m)	2,48
Loading height (m)	2,65
Places for pallets	ca. 33 / 66
Capacity (ton)	*24



Megatrailer

Loading length (m)	13,62
Loading width (m)	2,48 between poles 2,52
Loading height (m)	2,97 - 3,00
Places for pallets	ca. 33
Capacity (ton)	*28



B-link

Loading length (m)	7,74
Loading width (m)	2,48
Loading height (m)	2,8
Places for pallets	~18
Capacity (ton)	20

DHL Freight Equipment



Semitrailer (Continental traffic)

Loading length (m)	13,50 - 13,62
Loading width (m)	2,48 - 2,52
Loading height (m)	2,68 - 3,00
Places for pallets	ca. 33
Capacity (ton)	*28
Length of semitrailer (m)	16,50



B-link (Nordic traffic)

Loading length (m)	7,7 - 13,62
Loading width (m)	2,48 - 2,52
Loading height (m)	2,68 - 3,00
Places for pallets	ca. 48
Capacity (ton)	*38
Length of B-link (m)	25,25



Module trailer (HCT) (Nordic traffic)

Loading length (m)	2 x 13,62
Loading width (m)	2,48 - 2,52
Loading height (m)	2,68 - 3,00
Places for pallets	ca. 66
Capacity (ton)	*76
Length of module trailer (m)	33

* Country specific weight limits have to be considered

DHL Freight kalusto

Max loading weight of normal trailers

- Max 2.500 kg per meter
- Max. 10.000 kg per 3 meters
- Bogie load max.15.000 kg per 3 meters (on top of axles)
- Max. 1.000 kg per m²
- Max. 2.500 kg per m², if the bottom of the object is on a 2,5 m² area

Coil trailer (loading of heavy cargo)

- Compared to the trailers mentioned above, this trailer can take significantly heavier, single pieces

